

# Garlic

**Soil Type:** Sand

Time	Product Used	Appl'n Rate <sup>2</sup> (per hectare)	Nutrients Applied (kg per hectare)						# App'n
			N	P	K	Ca	Mg	S	
<b>Green Manure</b>									
	New Era Premium (kg/ha)	250	14	6.3	9.8	14	1.2	0.8	1
	Legume Cover Crop		0	0	0	0	0	0	
<b>Pre-plant (before planting)</b>									
	New Era High P (kg/ha)	150		23		48			1
	New Era Premium (kg/ha)	1,000	54	25	39	55	4.9	3.2	1
<b>To soil - side-dress (at 4 &amp; 8 weeks post emergence)</b>									
	New Era High N (kg/ha)	250	40	5	5				2
	K sulphate (kg/ha)	50			42			18	2
<b>Via Irrigation:</b>									
<b>Every 3-4 weeks</b>									
	OFS Humus 26 (L/ha)	5			1				4
	OFS Fish Emulsion (L/ha)	5	0.5	0.1	0.1				4
<b>Foliar Spray:</b>									
	Vitazyme (L/ha)	1							2
	OFS Org Nitrogen (L/ha)	2	1.4		0.2				6
<b>Total nutrients applied</b>			<b>109</b>	<b>59</b>	<b>97</b>	<b>117</b>	<b>6.1</b>	<b>22</b>	
<b>Crop Health Program</b>									
	Vitazyme (L/ha)	2 x 1L							
	OFS MicroPlus Soluble	1 x 500g							
			Spray onto soil at planting, repeat 6						
			Soil spray or via irrigation at planting						

**Notes:**

1. Adjust according to soil type and soil analytical results.
2. All care has been taken to provide advice based on the latest scientific information. This program is supplied as a base program and should be adjusted for individual situations. As individual farms vary significantly, no guarantee or responsibility can be accepted for crop performance. Plant tissue analysis should be used to monitor crop growth and the program altered accordingly.
3. Avoid nitrogen applications after bulbing commences.

